



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1462/162/07/24/1594

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : WUXI FANGQIAN PLASTIC WORKING GLOVE CO., LTD.
B4-4, No.86 Dicui Road,Binhu District,Wuxi, JS, 214073
China

Description

PPE Type : *protective glove against mechanical risks, chemical risks, against microorganisms risks*


Product reference : FQ-20821

Article code : Green

Glove description : GREEN NITRILE INDUSTRIAL GLOVES, TEXTURED PALM, FLOCKED LINING

Available sizes : 7.8.9.10.11

Pictures :



Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

4 1 0 1 X

EN ISO 374-5:2016

MICRO-ORGANISMS

EN ISO 374-1:2016 + A1:2018

**Type B
AJKL**

This product is a category III (lethal or irreversible risk). This certificate shall only be used in conjuncture with the conformity assessment procedure according to module C2 (CTC Groupe 0075)

At the date of the certificate, the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from JULY 2024 and the user instructions index Version no. V2-07-2024.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
William GELAS
Certification manager

Date of first issue: 26 July 2024
Date of end of validity: 26 July 2029



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

WUXI FANGQIAN PLASTIC WORKING GLOVE CO., LTD.

MANUFACTURER'S TECHNICAL FILE TO THE
PPE REGULATION 2016/425

Reference of the product	:	FQ-20821
Article code	:	Green
Technical file index	:	01
Last update	:	JULY 2024

IDENTIFICATION

Reference of the product :	:	FQ-20821
Article code :	:	Green
Basic Model		
Technical file index :	:	01
Last update :	:	JULY 2024

Manufacturer :

WUXI FANGQIAN PLASTIC WORKING GLOVE CO., LTD.

B4-4, No.86 Dicui Road,Binhu District,Wuxi, JS, 214073

China

tel : 0510-85164102

fax : 0510-85160302

Factory :

WUXI FANGQIAN PLASTIC WORKING GLOVE CO., LTD.

B4-4, No.86 Dicui Road,Binhu District,Wuxi, JS, 214073

China

tel: 0510-85164102

fax: 0510-85160302

GLOVE DESCRIPTION

General glove description and intended use:

GREEN NITRILE INDUSTRIAL GLOVES, TEXTURED PALM, FLOCKED LINING

This glove is designed against mechanical risks, chemical risks, against microorganisms risks.

Type of coating finish : smooth

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒	☒ Standard
			☒ Instruction for use
			☒ Marking
§1.4	Manufacturer's instructions and information is available	☒	☒ Standard
			☒ Instruction for use
			☐ Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☒	☒ Standard
			☒ Instruction for use
			☒ Marking
§2.5	PPE which may be caught up during use	☒	☐ Standard
			☒ Instruction for use
			☐ Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒	☒ Standard
			☒ Instruction for use
			☒ Marking
§2.14	Multi-risk PPE	☒	☒ Standard
			☒ Instruction for use
			☒ Marking
§3.3	The PPE is intended to protect against mechanical injuries	☒	☒ Standard
			☒ Instruction for use
			☒ Marking
§3.10.2	PPE intended to protect against substances and mixtures which are hazardous to health and against harmful biological agents - Cutaneous contact	☒	☒ Standard
			☒ Instruction for use
			☒ Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		GREEN/ WHITE	GREEN NITRILE WITH WHITE FLOCK LINING-COTTON			0.54mm
Back		GREEN/ WHITE	GREEN NITRILE WITH WHITE FLOCK LINING-COTTON			0.38mm
Cuff		GREEN/ WHITE	GREEN NITRILE WITH WHITE FLOCK LINING-COTTON			0.38mm

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks, chemical risks, against microorganisms risks.

It is a category III product, module C2

Notified Body Reference : CTC (0075)

4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 3

Available size range: 7.8.9.10.11

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388:2016 + A1:2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	0
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	N/A

The levels of performance have been measured on the palm.

Chemical hazard EN 374-2:2014

Protection offered	Performance levels
Water tightness	conform
Air tightness	conform

Chemical hazard EN ISO 374-1:2016 + A1:2018

Type :	B
--------	---

Tested chemical :	CAS N°	Letter	Permeation performance levels	Degradation value
Methanol	67-56-1	A	2	84,2%
n-Heptane	142-82-5	J	6	23,0%
Sodium hydroxide 40%	1310-73-2	K	6	-3,6%
Sulphuric acid 96%	7664-93-9	L	3	51,0%

Microorganism EN ISO 374-5:2016

This glove protect against microorganism.

Uncontrolled against viruses.

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	D220509258_1 D220509259_1	
EN 388	S220603042_1	
EN 374-2	D220509259_1	
EN 16523-1	D220509259_1	
EN ISO 374-5	D220509259_1	
Other	D220509259_1 (EN ISO 374-4)	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : FQ-20821

Article Code : Green

Size indicator

Pictograms related to risks against which protection is offered with performance levels


Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :



Method of marking on the glove :

Print on back side cuff of the glove

Packaging suitable for transport:

1 pair/clear bag, 12 pairs/polybag, 120 pairs/carton

PPE subject to ageing :

Peremption period : 3 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

1. We choose the good suppliers to provide us material with good quality. At the same time, when we received the each batch raw materials we should test some items according to relevant standard, such as EN ISO 21420 and relevant EU regulation; the bad material cannot meet requirement will be rejected.
2. when we received the raw materials for mass production every time, the material QC will check them serious to ensure they are of good quality.
3. Make samples before production, make sure samples meet the requirement of client and we test the glove as the requirement EN388, EN ISO 374-1, EN ISO 21420, and other chemical items, then start to produce; it's very important for us;
4. Regular daily check the quality of products in the whole process; any unacceptable defects are found, the gloves will be discarded; QC for each step will perform inspection in accordance with our requirement strictly;
5. Confirm packing specification before packing and regularly check and keep records;
6. According to QA inspection procedures, QA will perform final inspection on some cartons of glove randomly. Then the goods can be shipped in case no any problems.
7. When do bulk production, we shall pick up some gloves from each batch to test abrasion resistance and blade cut resistance of EN 388, air tightness and permeation of EN ISO 374-1, PAHs of EN ISO 21420 to control the quality.